

VATS / MIS INSTRUMENTS



Forceps, Axial, Round Handle

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9009-510	Resano multi-tooth jaws, 2.5 mm width, without ratchet	5 mm	8" (20 cm)	14 1/4" (36.0 cm)
9009-511	Resano multi-tooth jaws, 2.5 mm width, with ratchet	5 mm	8" (20 cm)	14 1/4" (36.0 cm)
9009-512	Russian jaws, 6 mm width, without ratchet	5 mm	8" (20 cm)	14 1/4" (36.0 cm)
9009-513	Russian jaws, 6 mm width, with ratchet	5 mm	8" (20 cm)	14 1/4" (36.0 cm)
9009-516	Platform DIAMOND DUST™ jaws, 2 mm width, without ratchet	5 mm	8" (20 cm)	14 1/4" (36.0 cm)
9009-517	Platform DIAMOND DUST™ jaws, 2 mm width, with ratchet	5 mm	8" (20 cm)	14 1/4" (36.0 cm)
9009-520	DeBakey jaws, 1.5 mm width, without ratchet	5 mm	8" (20 cm)	14 1/4" (36.0 cm)
9009-521	DeBakey jaws, 1.5 mm width, with ratchet	5 mm	8" (20 cm)	14 1/4" (36.0 cm)
9009-522	DeBakey jaws, 2.5 mm width, without ratchet	5 mm	8" (20 cm)	14 1/4" (36.0 cm)
9009-523	DeBakey jaws, 2.5 mm width, with ratchet	5 mm	8" (20 cm)	14 1/4" (36.0 cm)
9009-524	DeBakey jaws, 3.5 mm width, without ratchet	5 mm	8" (20 cm)	14 1/4" (36.0 cm)
9009-525	DeBakey jaws, 3.5 mm width, with ratchet	5 mm	8" (20 cm)	14 1/4" (36.0 cm)



Forceps, Jacobson Style, Round Handle

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9009-420	DeBakey jaws, 1 mm width, without ratchet	5 mm	7 3/4" (19.5 cm)	16" (41 cm)
9009-422	DeBakey jaws, 2 mm width, without ratchet	5 mm	7 3/4" (19.5 cm)	16" (41 cm)

* Custom made at time of order, firm sale

VATS / MIS INSTRUMENTS



Needle Holders, Axial Handle

	Catalog Number	Description	Shaft Diameter	Working Length	Total Length
NEW	9009-540	Straight DIAMOND DUST™ jaws, without ratchet, (recommended suture size 7-0 and smaller)	5 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-541	Straight DIAMOND DUST™ jaws, with ratchet, (recommended suture size 7-0 and smaller)	5 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-542	Curved DIAMOND DUST™ jaws, without ratchet, (recommended suture size 7-0 and smaller)	5 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-543	Curved DIAMOND DUST™ jaws, with ratchet, (recommended suture size 7-0 and smaller)	5 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-550	Straight DIAMOND DUST™ jaws, without ratchet, (recommended suture size 5-0 and smaller)	6 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-551	Straight DIAMOND DUST™ jaws, with ratchet, (recommended suture size 5-0 and smaller)	6 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-552	Curved DIAMOND DUST™ jaws, without ratchet, (recommended suture size 5-0 and smaller)	6 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-553	Curved DIAMOND DUST™ jaws, with ratchet, (recommended suture size 5-0 and smaller)	6 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-560	Straight carbon-inlay jaws, without ratchet, gold-tipped handle, (recommended suture size 4-0 and smaller)	7 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-561	Straight carbon-inlay jaws, with ratchet, gold-tipped handle, (recommended suture size 4-0 and smaller)	7 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-562	Curved carbon-inlay jaws, without ratchet, gold-tipped handle, (recommended suture size 4-0 and smaller)	7 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-563	Curved carbon-inlay jaws, with ratchet, gold-tipped handle, (recommended suture size 4-0 and smaller)	7 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-570	Straight carbon-inlay jaws, without ratchet, gold-tipped handle, (recommended suture size 2-0 and smaller)	7 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-571	Straight carbon-inlay jaws, with ratchet, gold-tipped handle, (recommended suture size 2-0 and smaller)	7 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-572	Curved carbon-inlay jaws, without ratchet, gold-tipped handle, (recommended suture size 2-0 and smaller)	7 mm	8" (20 cm)	14 3/8" (36.5 cm)
NEW	9009-573	Curved carbon-inlay jaws, with ratchet, gold-tipped handle, (recommended suture size 2-0 and smaller)	7 mm	8" (20 cm)	14 3/8" (36.5 cm)

VATS / MIS INSTRUMENTS



Needle Holders, Ring Handle

	Catalog Number	Description	Shaft Diameter	Working Length	Total Length
	9909-610	Straight carbon-inlay jaws, gold ring handle, with ratchet, (recommended suture size 2-0 and smaller)	10 mm	8 1/4" (21 cm)	13 1/2" (34 cm)
	9909-612	Curved carbon-inlay jaws, gold ring handle, with ratchet, (recommended suture size 2-0 and smaller)	10 mm	8 1/4" (21 cm)	13 1/2" (34 cm)
	9009-640	Straight carbon-inlay jaws, gold ring handle, with ratchet, (recommended suture size 4-0 and smaller)	7 mm	8 1/2" (21.5 cm)	13 1/2" (34 cm)
	9009-642	Curved carbon-inlay jaws, gold ring handle, with ratchet, (recommended suture size 4-0 and smaller)	7 mm	8 1/2" (21.5 cm)	13 1/2" (34 cm)
	9009-618	Straight fine DIAMOND DUST™ jaws, ring handle, with ratchet, (recommended suture size 5-0 and smaller)	5 mm	6 1/2" (16.5 cm)	10 1/2" (27 cm)



Needle Holders, Jacobson Style, Spring-Style Handle

	Catalog Number	Description	Shaft Diameter	Working Length	Total Length
*	9009-648	Straight DIAMOND DUST™ jaws, Jacobson round handle, spring style, with ratchet, (recommended suture size 5-0 and smaller)	5 mm	6 1/2" (16.5 cm)	15 3/8" (38.5 cm)
*	9009-650	Curved left DIAMOND DUST™ jaws, Jacobson round handle, spring style, with ratchet, (recommended suture size 5-0 and smaller)	5 mm	6 1/2" (16.5 cm)	15 3/8" (38.5 cm)

* Custom made at time of order, firm sale



INTERNATIONAL



Surgical products designed and manufactured by the Scanlan family since 1921

VATS / MIS INSTRUMENTS



Scissors, SUPER CUT™, Black Platinum Ring Handle

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
* 9009-716SC	Straight fine blades, 1 cm blade length, blunt micro tips	5 mm	6 1/2" (16.5 cm)	10 1/2" (27 cm)
9009-738SC	Chitwood Dissecting Scissors, curved blades, blunt tips, 3 cm blade length	5 mm	7 1/4" (18.5 cm)	11 1/2" (29 cm)
9909-910SC	Metzenbaum Scissors, curved blades, blunt tips, 3.5 cm blade length	10 mm	7 3/4" (19.5 cm)	11 1/2" (29 cm)



Chitwood Knot Pusher, Jacobson Style, Round Handle

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9009-827-11	Pediatric, Mini "Trap Model," (for 4-0 and smaller suture)	5 mm	5 1/8" (13 cm)	11" (28 cm)
9009-827-12	Mini "Trap Model," (for 4-0 and smaller suture)	5 mm	5 3/4" (14.5 cm)	12" (30.5 cm)
9009-828	Original "Trap Model," (for 2-0 and smaller suture)	5 mm	6" (15 cm)	12 1/2" (32 cm)
9009-828-16	Original "Trap Model," (for 2-0 and smaller suture)	5 mm	7" (18 cm)	15 3/4" (40 cm)



Chitwood Super Cut™ Suture Cutter

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
NEW 9009-838SC	"Trap Model," black platinum ring handle, (for 2-0 and smaller suture)	5 mm	7" (18 cm)	11" (28 cm)
NEW 9009-840SC	"Trap Model," black platinum ring handle, (for 2-0 and smaller suture)	5 mm	9" (23 cm)	13" (33 cm)
NEW 9009-842SC	"Trap Model," black platinum ring handle, (for 2-0 and smaller suture)	5 mm	11" (28 cm)	15" (38 cm)



DeBakey Clamps, curved left jaw, ring handle

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9909-912	Chitwood, 6.5 cm jaw length, 1 x 2 DeBakey jaw, with ratchet	10 mm	9" (23 cm)	12 3/4" (32.5 cm)
9909-912-13	Chitwood, 10 cm jaw length, 1 x 2 DeBakey jaw, with ratchet	10 mm	10" (25.4 cm)	14 1/4" (36 cm)
9909-232	Chitwood, 10 cm jaw length, 2 x 3 DeBakey jaw, with ratchet	10 mm	10" (25.4 cm)	14 1/4" (36 cm)
9009-240	6 cm jaw length, 1 x 2 DeBakey jaw, with ratchet	5 mm	8 1/4" (21 cm)	12 1/4" (31 cm)

VATS / MIS INSTRUMENTS



DeBakey Clamp, curved left 1 x 2 DeBakey jaw, ring handle

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9909-221	D'Amico, curved left 11 cm jaws, with ratchet	10 mm	10" (25.4 cm)	14 1/2" (37 cm)
9909-222	D'Amico, straight, 11.5 cm jaws, with ratchet	10 mm	10 1/2" (27 cm)	14 3/4" (37.5 cm)
9909-224	Harken #1, 9.5 cm jaws, without ratchet	10 mm	9 7/8" (24.8 cm)	14" (35.5 cm)
NEW 9909-225	Harken #1, 9.5 cm jaws, with ratchet	10 mm	9 7/8" (24.8 cm)	14" (35.5 cm)
9909-226	Harken #2, 9.5 cm jaws, without ratchet	10 mm	9 7/8" (24.8 cm)	14" (35.5 cm)
NEW 9909-227	Harken #2, 9.5 cm jaws, with ratchet	10 mm	9 7/8" (24.8 cm)	14" (35.5 cm)



Lung Grasping Clamps, ring handle

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9009-226	Foerster Clamp, curved left, 12 mm oval ring jaws, with ratchet	7 mm	9 1/4" (23.5 cm)	13 1/4" (33.5 cm)
9909-920	Foerster Clamp, curved left, 20 mm oval ring jaws, with ratchet	10 mm	9 1/2" (24 cm)	13 1/4" (33.5 cm)
9909-926	Duval Clamp, curved left, 1.0 cm width triangular ring jaws, with ratchet	10 mm	9 1/4" (23.5 cm)	13 1/2" (34 cm)
9909-927	Duval Clamp, curved left, 2.5 cm width triangular ring jaws, with ratchet	10 mm	9 1/4" (23.5 cm)	13 1/2" (34 cm)



Node Graspers, ring handle (Not intended for use as a lung grasper)

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9009-222	Straight, 11 mm oblong ring jaws, with ratchet	5 mm	9" (23 cm)	13" (33 cm)
9009-223	Curved left, 11 mm oblong ring jaws, with ratchet	5 mm	9" (23 cm)	13" (33 cm)



Dennis Dissector, ring handle

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9009-280	Curved left serrated jaws, with ratchet	7 mm	9" (23 cm)	13 1/4" (33.5 cm)

* Custom made at time of order, firm sale

VATS / MIS INSTRUMENTS



DeBakey Cooley Forceps, 90° angled jaws ("right angle"), ring handle

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9909-202	DeBakey Cooley jaws, with ratchet	10 mm	9 1/2" (24 cm)	13 1/2" (34 cm)
9909-203	DeBakey Cooley jaws, without ratchet	10 mm	9 1/2" (24 cm)	13 1/2" (34 cm)



Allis Forceps, ring handle

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9009-270	Curved left 6 mm width jaws. with ratchet	7 mm	9" (23 cm)	13 1/4" (33.5 cm)



Stern™ Chest Tube Passer, ring handle

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
4004-185	Without ratchet	10 mm	6 7/8" (17.5 cm)	9 3/4" (24.8 cm)
4004-186	With ratchet	10 mm	6 7/8" (17.5 cm)	9 3/4" (24.8 cm)
4004-189	Without ratchet	10 mm	11" (28 cm)	14" (35.6 cm)



Chitwood Suture Puller

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9009-816	Straight 1.75 mm tip	3.1 mm	7 1/2" (19 cm)	11 1/2" (29 cm)
9009-820	Straight 3.1 mm tip	3.1 mm	7 1/2" (19 cm)	11 1/2" (29 cm)

VATS / MIS INSTRUMENTS



Suction Instruments, Wolf

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9009-908	Pediatric, Curved blunt tip, 6 mm width	3.2 mm	6 3/4" (17 cm)	12 1/4" (31 cm)
9009-909	Pediatric, Variable suction, curved blunt tip, 6 mm width	3.2 mm	6 3/4" (17 cm)	12 1/4" (31 cm)
9009-910	Curved blunt tip, 6 mm width	3.2 mm	8 3/4" (22 cm)	14 1/4" (36 cm)
9009-911	Variable suction, curved blunt tip, 6 mm width	3.2 mm	8 3/4" (22 cm)	14 1/4" (36 cm)



Suction Instruments, Dennis

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
NEW 9009-914	Curved blunt tip, 7.5 mm width	5 mm	8 3/4" (22 cm)	14 1/4" (36 cm)
NEW 9009-915	Variable suction, Curved blunt tip, 7.5 mm width	5 mm	8 3/4" (22 cm)	14 1/4" (36 cm)
NEW 9009-916	Curved blunt tip, 7.5 mm width	5 mm	12 1/2" (32 cm)	17 3/4" (45.5 cm)
NEW 9009-917	Variable suction, Curved blunt tip, 7.5 mm width	5 mm	12 1/2" (32 cm)	17 3/4" (45.5 cm)



Suction Instruments, D'Amico

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9009-900	Straight blunt tip, 5 mm width	5 mm	12 1/2" (32 cm)	17 3/4" (45.5 cm)
9009-901	Variable suction, straight blunt tip, 5 mm width	5 mm	12 1/2" (32 cm)	17 3/4" (45.5 cm)
9009-920	Straight blunt tip (for decortication), 10 mm width	10 mm	12 1/2" (32 cm)	17 3/4" (45.5 cm)
9009-921	Variable suction, straight blunt tip (for decortication), 10 mm width	10 mm	12 1/2" (32 cm)	17 3/4" (45.5 cm)

Suction Accessories

Catalog Number	Description	Shaft Diameter	Working Length	Total Length
9009-905	Brush set, pack of 10, for D'Amico, Wolf, Dennis suction instruments	-	-	19" (48.3 cm)
9009-922	Brush set, pack of 10, for 10 mm D'Amico suction instruments	-	-	19" (48.3 cm)

* Custom made at time of order, firm sale



INTERNATIONAL

Surgical products designed and manufactured by the Scanlan family since 1921



VATS / MIS INSTRUMENTS

Instrument Metal Sterilization Tray, silver-gray color, aluminum



**	2139-03	10" W x 15" L x 1 1/2" H (25.4 cm x 38 cm x 3.8 cm), Full silicone mat on base, partial mat on cover, Holds up to 7 VATS / MIS instruments, firm sale
**	2145-03	10 1/2" W x 21" L x 2 1/2" H (27 cm x 53 cm x 6.4 cm), Holds 12+ VATS / MIS instruments, firm sale

** Firm sale

Custom Modifications Available at Time of Order

Some of the types of custom modifications are listed below. If you desire a modification at the time of order, please ask your Scanlan representative.

Common modifications to customize an instrument include:

Jaw / Tip Modifications:

- Angle jaws / tips
- Angle and cut down jaws / tips
- Cut down jaws / tips

Ratchet Modifications:

- Remove all ratchets
- Remove partial ratchets
- Add ratchets

Scissor Blade Modifications:

- Cut down scissor blades
- Blunt tips on blades
- Sharpen tips on blades

Length Modifications:

- Lengthen instrument
- Shorten instrument

Shank Modifications:

- Angle shanks up
- Angle shanks down

Other Modifications:

- Modify tension
- Special etching

For more information or to place an order,
please contact your local Scanlan representative, or call...

U.S. & Canada: 800-328-9458
International: 651-298-0997
FAX: 651-298-0018
www.scanlaninternational.com



ONE SCANLAN PLAZA
SAINT PAUL, MINNESOTA 55107 U.S.A.