


SCANLAN® Pediatric Instruments

Clamps, Forceps, Needle Holders, Retractors, Scissors



Highest Quality Surgical Instruments
Since 1921

Titanium *LEGACY*
NEEDLE HOLDERS



NEW
3003-372

SCANLAN® *LEGACY*
Micro Needle Holders

Cat. No.	Description	Handle Style	Box Lock		Recommended Suture Size	Total Length
NEW 3003-384	LEGACY Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	SCAN-II®	Streamline Box Lock		5-0 and Smaller	8" (20 cm)
3003-354	LEGACY Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	Round				
NEW 3003-372	LEGACY Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	SCAN-II®	Regular Box Lock		7-0 and Smaller	7" (18 cm)
3003-342	LEGACY Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	Round				

Patented Scan-II™ Handle

Featuring the new patent pending SCAN-II™ handle design that features a flat surface for control with round knurled sides for a secure grip and the ability to roll the instrument during procedures.



Titanium
NEEDLE HOLDERS



3003-180

SCANLAN®
Micro Needle Holders

Cat. No.	Description	Handle Style	Box Lock		Recommended Suture Size	Total Length
3003-170	Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	Round	Streamline Box Lock		5-0 and Smaller	7 1/4" (18.5 cm)
3003-224	Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	Flat				8" (20 cm)
3003-180	Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	Round				
3003-171	Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	Round	Regular Box Lock		7-0 and Smaller	7 1/4" (18.5 cm)

Scanlan® needle holders feature our unique Diamond Dust™ to securely grip the needles and prevent damage to the needles.



Stainless Steel
NEEDLE HOLDERS



6006-120

SCANLAN®
Micro Needle Holders

Cat. No.	Description	Handle Style	Box Lock		Recommended Suture Size	Total Length
6006-90	Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	Flat	Regular Box Lock		5-0 and Smaller	7 1/4" (18.5 cm)
6006-82	Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	Round				
6006-100	Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	Flat				8" (20 cm)
6006-120	Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	Round	Streamline Box Lock			8 1/4" (21 cm)
6006-70	Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	Flat	Regular Box Lock		7-0 and Smaller	6 3/4" 17 cm)
6006-121	Jacobson Micro Needle Holder Straight DIAMOND DUST™ Jaws With Ratchet	Round				8 1/4" (21 cm)



Stainless Steel
NEEDLE HOLDERS



6006-32

SCANLAN®
Micro Needle Holders

Cat. No.	Description	Handle Style		Recommended Suture Size	Total Length
6006-32	Micro Needle Holder Straight DIAMOND DUST™ Jaws	Ring		5-0 and Smaller	7 1/4" (18.5 cm)



Titanium *LEGACY*
FORCEPS



NEW
3003-942

SCANLAN® *LEGACY*
Micro Forceps

Cat. No.	Description	Handle Style	Tip		Total Length
NEW 3003-942	LEGACY Micro Forceps 1.0 mm Straight DIAMOND DUST™	SCAN-II®	Platform Ring		7 1/8" (18.1 cm)
3003-922	LEGACY Micro Forceps 1.0 mm Straight DIAMOND DUST™	Round			
NEW 3003-954	LEGACY Micro Forceps 1 mm Straight DeBakey	SCAN-II®	Tapered DeBakey		8 1/4" (21 cm)
3003-934	LEGACY Micro Forceps 1 mm Straight DeBakey	Round			
NEW 3003-974	LEGACY Micro Forceps 1 mm Straight Tapered	SCAN-II®	Platform		
3003-914	LEGACY Micro Forceps 1 mm Straight DIAMOND DUST™	Round			

Scanlan® Legacy Instruments are crafted for superior balance... the instrument is like an extension of your hand.



Titanium
FORCEPS



3003-05

SCANLAN®
Micro Forceps

Cat. No.	Description	Handle Style	Tip		Total Length
3003-158	Micro Forceps DIAMOND DUST™	Round	Platform		7 1/4" (18.5 cm)
3003-160	Micro Forceps 1.0 mm Straight DIAMOND DUST™	Round	Ring		
3003-05	DeBakey Dissecting Forceps 1.0 mm Straight DeBakey	Flat	DeBakey		7 3/4" (19.5 cm)



Stainless Steel
FORCEPS



SCANLAN®
Micro Forceps

Cat. No.	Description	Handle Style	Tip		Total Length
4004-240	Gerald Forceps 1.0 mm Straight DeBakey	Flat	DeBakey		7" (18 cm)
4004-230	Micro Forceps 1.0 mm Straight DeBakey	Round			7 1/8" (18.1 cm)
4004-43	DeBakey Forceps 1.0 mm Straight DeBakey	Flat			7 3/4" (19.5 cm)
4004-272	Dennis Micro Forceps 1 mm Straight DeBakey, Counterbalanced	Round			8 1/4" (21 cm)
4004-76	Gerald Forceps 1.0 mm Straight	Flat	Serrated		7" (18 cm)
4004-220	Dennis Micro Forceps 1 mm Straight DIAMOND DUST™, Counterbalanced	Round	Ring		7 1/4" (18.5 cm)
4004-98	Dennis Micro Forceps Straight DIAMOND DUST™	Round	Platform		8 1/4" (21 cm)



Spring Style *Premier*
SCISSORS



SCANLAN®
Premier Scissors

Cat. No.	Description	Handle Style	Tip		Total Length
7007-590	Jacobson Micro Scissors 25° Angle	Round	Nano (7 mm)		6 3/4" (17 cm)
7007-592	Jacobson Micro Scissors 45° Angle				
7007-598	Jacobson Micro Scissors V-Neck 125° Angle				6 1/2" (16.5 cm)

Scanlan® *Premier* Scissors

Use a proprietary technology that enhances the hardness and corrosion resistant properties of stainless steel. As a result, blades retain their sharpness longer and are very resistant to environmental damage.



Spring Style *Premier*
SCISSORS




SCANLAN®
Premier Scissors

Cat. No.	Description	Handle Style	Tip		Total Length
7007-490	Jacobson Micro Scissors 25° Angle	Round	Micro Fine (10 mm)		6 3/4" (17 cm)
7007-492	Jacobson Micro Scissors 45° Angle				
7007-498	Jacobson Micro Scissors 125° Angle				6 1/2" (16.5 cm)

Superior balance and tactile response provide the ultimate in cutting precision and control.



Spring Style *Premier*
SCISSORS



SCANLAN®
Premier Scissors

Cat. No.	Description	Handle Style	Tip		Total Length
7007-422	Castroviejo Micro Scissors 45° Angle	Round	Fine (15 mm)		4 1/2" (11.5 cm)
7007-452	Jacobson Micro Scissors 45° Angle	Flat			6 1/2" (16.5 cm)
7007-458	Jacobson Micro Scissors 125° Angle				6 1/4" (16 cm)



Spring Style
SCISSORS



SCANLAN®
Vannas Scissors

Cat. No.	Description	Handle Style	Tip		Total Length
7007-140	Jacobson Vannas Micro Scissors 45° Angle on Flat Micro Fine Blades	Flat	Micro Fine (10 mm)		7" (18 cm)



Ring Handle
SCISSORS



7007-211SC

SCANLAN®
Super Cut™ Scissors

Cat. No.	Description	Tip		Total Length
7007-210SC	Stevens Tenotomy Scissors Curved Blades	Tenotomy		4 5/8" (11.7 cm)
7007-211SC				7" (18 cm)
7007-264SC	Lillehei-Potts Scissors Curved Blades	Curved		
7007-218SC	Metzenbaum Scissors Curved Blades			

Scanlan® Super Cut Scissors feature two unique cutting edges that help eliminate pinching or tearing along the length of the blade.






SCANLAN®
Clamps

Cat. No.	Description		Total Length	Cat. No.	Description		Total Length
3003-613	45° Angled Jaws 25 mm Jaw Length		4 1/4" (11 cm)	3003-616	6 mm Jaws Slightly Angled Shanks 14 mm Jaw Length		4 1/4" (11 cm)
3003-634	60° Angled Jaws 30 mm Jaw Length			3003-618	6 mm Spoon Jaws Straight Shanks 14 mm Jaw Length		
3003-614	60° Angled Jaws 23 mm Jaw Length		4 1/8" (10.5 cm)	3003-636	6 mm Jaws Slightly Angled Shanks 22 mm Jaw Length		4 3/8" (11.2 cm)

The quality and light weight Scanlan® Titanium clamps provide an atraumatic clamp of the vessels.



SCANLAN®
Clamps

Cat. No.	Description		Total Length	Cat. No.	Description		Total Length
3003-66	Beck Infant Aorta Clamp DeBakey Jaws		6 1/2" (16.5 cm)	NEW 3003-617	Profunda Clamp Angled Shanks DeBakey Jaws		5 1/8" (13 cm)
NEW 3003-44	Profunda Clamp Angled Shanks Cooley Jaws		6" (15 cm)		Coarctation Clamp Angled Shanks DeBakey Jaws		
NEW 3003-59	Lambert-Kay Angled Shanks Cooley Jaws		4 1/4" (11 cm)				





2002-234

SCANLAN®
Clamps

Cat. No.	Description	Total Length
2002-231	Profunda Clamp Angled Shanks Cooley Jaws	5 1/2" (14 cm)
2002-234	25° Angled Jaws Cooley Jaws	5 3/4" (14.5 cm)
2002-235	45° Angled Jaws Cooley Jaws	
5005-23	Curved Serrated Jaws	6 1/2" (16.5 cm)



5005-60

SCANLAN®
Clamps
Developed in cooperation with Leonard L. Bailey, M.D.

Cat. No.	Description	Total Length
5005-60	Bailey Forceps 30° Angled Jaws Very Fine Angled Serrated Jaws	7" (18 cm)
5005-62	Bailey Forceps 60° Angled Jaws Very Fine Angled Serrated Jaws	
5005-64	Bailey Forceps 90° Angled Jaws Very Fine Angled Serrated Jaws	
5005-33	Curved Serrated Jaws	7 1/4" (18.5 cm)



Sternal
RETRACTORS



NEW
SCANLAN®
M.D.™ Sternal Retractor System
Size 1 8888-901

Cat. No.	Description
8008-903	M.D.™ Titanium Rack, 3" Spread
8008-911	Scan-Vu™ Single-Use Retractor Arm Size 1 (1 pair per box)
8008-931R	Right M.D.™ Titanium Retractor Arm Size 1
8008-931L	Left M.D.™ Titanium Retractor Arm Size 1



NEW
SCANLAN®
M.D.™ Sternal Retractor System
Size 2 8888-902

Cat. No.	Description
8008-903	M.D.™ Titanium Rack, 3" Spread
8008-912	Scan-Vu™ Single-Use Retractor Arm Size 2 (1 pair per box)
8008-932R	Right M.D.™ Titanium Retractor Arm Size 2
8008-932L	Left M.D.™ Titanium Retractor Arm Size 2



NEW
SCANLAN®
M.D.™ Sternal Retractor System
Size 3 8888-903

Cat. No.	Description
8008-905	M.D.™ Titanium Rack, 5" Spread
8008-913	Scan-Vu™ Single-Use Retractor Arm Size 3 (1 pair per box)
8008-933R	Right M.D.™ Titanium Retractor Arm Size 3
8008-933L	Left M.D.™ Titanium Retractor Arm Size 3



NEW
SCANLAN®
M.D.™ Sternal Retractor System
Size 4 8888-904

Cat. No.	Description
8008-905	M.D.™ Titanium Rack, 5" Spread
8008-914	Scan-Vu™ Single-Use Retractor Arm Size 4 (1 pair per box)
8008-934R	Right M.D.™ Titanium Retractor Arm Size 4
8008-934L	Left M.D.™ Titanium Retractor Arm Size 4

Sternal
RETRACTORS



NEW
SCANLAN®
M.D.™ Sternal Retractor System
Size 5 8888-905

Cat. No.	Description
8008-905	M.D.™ Titanium Rack, 5" Spread
8008-915	Scan-Vu™ Single-Use Retractor Arm Size 5 (1 pair per box)
8008-935R	Right M.D.™ Titanium Retractor Arm Size 5
8008-935L	Left M.D.™ Titanium Retractor Arm Size 5


SCANLAN® Scan-Vu™ Single-Use Retractor Arms are not available for sale outside of the United States of America.

SCANLAN® M.D.™ RETRACTOR SYSTEM was developed in cooperation with Francis X. Moga, MD and Ginny Dixon, BSN, RN, CNOR, RNFA

Patent No. 10383613



V.I.P.™
Instrument Tray



Shown with M.D.™ Titanium Retractor Arms and Rack

NEW
SCANLAN®
V.I.P.™ Instrument Tray

Cat. No.	Description
2151-03	Aluminum with Scan-Guard™ 17"x 10-1/2"x 1-7/8" (26 cm x 53 cm x 6.4 cm)



Sternal

RETRACTORS



SCANLAN®

Pediatric Finochietto Neonate Retractor

Cat. No.	Description
8008-41	Finochietto Neonate Sternal Retractor Stainless Steel
	Spread: 36 mm Arms: 37 mm
	Blades: 7 mm Long x 7 mm Deep

SCANLAN®

Pediatric Finochietto Neonate Retractor

Cat. No.	Description
8008-42	Finochietto Neonate Sternal Retractor Titanium
	Spread: 36 mm Arms: 37 mm
	Blades: 7 mm Long x 7 mm Deep

SCANLAN®

Pediatric Retractor

Cat. No.	Description
8008-43	Retractor With Interchangeable Blades Titanium
	Spread: 52 mm Arms: 40 mm
	Blades: 1 Pair: 10 mm Long x 15 mm Deep Blades: 1 Pair: 20 mm Long x 15 mm Deep



Sternal

RETRACTORS



SCANLAN®

Bailey Finochietto Sternal Retractor

Cat. No.	Description
8008-45	Bailey Finochietto Sternal Retractor Titanium
	Spread: 80 mm Arms: 57 mm
	Blades: 20 mm Long x 20 mm Deep

SCANLAN®


Cochran Pediatric Retractors

Cat. No.	Description
1001-14	1/4" (6.4 mm) Wide, 6 1/2" (16.5 cm) Long
1001-13	3/8" (9.5 mm) Wide, 6 1/2" (16.5 cm) Long
1001-12	1/2" (12.7 mm) Wide, 6 1/2" (16.5 cm) Long
1001-11	5/8" (15.6 mm) Wide, 6 1/2" (16.5 cm) Long
1001-10	3/4" (19 mm) Wide, 6 1/2" (16.5 cm) long



Nitinol

DILATORS & VESSEL PROBES



SCANLAN®

MEMORY Garret Vascular Dilators & Vessel Probes

5 1/2" (14 cm) Cat. No.		Tip Size
8008-452		1 mm
8008-454		1.5 mm
8008-456		2 mm

5 1/2" (14 cm) Cat. No.		Tip Size
8008-458		2.5 mm
8008-460		3 mm
8008-462		3.5 mm

5 1/2" (14 cm) Cat. No.		Tip Size
8008-464		4 mm
8008-466		4.5 mm
8008-468		5 mm



SUCTION



SCANLAN®

SUNDT™ Graduated Suction System (Sets)

		Each set includes seven suction tips, diameters (listed below), a universal suction handle (9009-930) and sterilization / storage case (9009-934)						
		3 Fr. •	4 Fr. •	5 Fr. •	6 Fr. •	7 Fr. •	9 Fr. •	11 Fr. •
Cat. No.	Description	9009-961	9009-962	9009-963	9009-964	9009-965	9009-967	9009-969
9009-960	5 1/4" (13.5 cm) Rotatable Suction Tip Set							





SCANLAN®
Yasargil Applying Forceps – Standard

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	3786-28	Bayonet Style Flat Handle	7 1/8" (18.1 cm)

SCANLAN®
Yasargil Clips – Light Pressure

Temporary occlusion clips
are shown approximate size

	Cat. No.	Description
9 mm	3785-22	Straight
	3785-24	Slight Curve
11 mm	3785-26	Straight
	3785-27	Slight Curve

SCANLAN®
Yasargil Clips – Firm Pressure

Temporary occlusion clips
are shown approximate size

	Cat. No.	Description
9 mm	3786-24	Slight Curve
	3786-26	Straight



SCANLAN®
VASCU-STATT® Bulldog Clamps

Cat. No.	Description		Clamping Pressure
1001-500	Vascu-Stat® Midi, straight (white)		Regular
1001-501	Vascu-Stat® Midi, angled 45° (white)		
1001-531	Vascu-Stat® II Mini, angled 45° (green)		Firm
1001-532	Vascu-Stat® II Midi, straight (yellow)		Firm
1001-533	Vascu-Stat® II Midi, angled 45° (yellow)		

SCANLAN®
VASCU-STATT® Applier

Cat. No.	Description	Total Length
1001-506	VASCU-STATT® Applier, Straight	8 1/2" (21.5 cm)





SCANLAN®
Original Aorta / Vein Punch

Cat. No.	Description	Tip Dimensions	Total Length
1001-600	Original Round	● 2.7 mm	5 3/4" (14.6 cm)
1001-601	Original Round	● 3.5 mm	



SCANLAN®
SURG-I-PAW® INSTRUMENT JAW COVERS

Cat. No.	Description
1001-72	Red, SURGH-PAW® Instrument Jaw cover
1001-73	White, SURGH-PAW® Instrument Jaw cover



SCANLAN®
SURG-I-LOOP® SILICONE LOOPS

Cat. No.	Description
1001-75	SCANLAN® SURG-I-LOOP® Silicone Loops Red, Mini
1001-76	SCANLAN® SURG-I-LOOP® Silicone Loops Red, Maxi
1001-77	SCANLAN® SURG-I-LOOP® Silicone Loops Blue, Mini
1001-78	SCANLAN® SURG-I-LOOP® Silicone Loops Blue, Maxi



Pediatric Instruments

Performance, Quality, and Exceptional Tactile Response

